

Page 1 of 13




Docket No.: A-9049

Page 2 of 13




PRIOR ART

FIG. 2



PRIOR ART




PRIOR ART


FIG. 3A


FIG. 3B

Docket No.: A-9049

Page 3 of 13








PRIOR ART


PRIOR ART

PRIOR ART

FIG. 4A

FIG. 4B FIG. 4C







PRIOR ART

PRIOR ART

FIG. 5A

FIG. 5B





PRIOR ART

FIG. 6A

FIG. 6B

Docket No.: A-9049

Page 4 of 13




FIG. 7




FIG. 8

FIG. 9

1006

$$\mathbf{r} = \begin{bmatrix} r_0 = 0 \\ r_1 = 1 \\ r_2 = 3 \\ r_3 = 0 \\ r_4 = 1 \\ r_5 = 0 \\ r_6 = 2 \\ r_7 = 5 \end{bmatrix}$$

$$1002$$

$$\begin{bmatrix} I_0 = a \\ I_1 = b \\ I_2 = c \\ I_3 = d \\ I_4 = e \\ I_5 = g \\ I_7 = h \end{bmatrix}$$

FIG. 10A




FIG. 10B

$$\mathbf{r}' = \begin{bmatrix} r'_0 = 0 \\ r'_1 = 1 \\ r'_2 = 6 \\ r'_3 = 3 \end{bmatrix} \mathbf{l}' = \begin{bmatrix} I'_0 = j \\ I'_1 = k \\ I'_2 = I \\ I'_3 = m \end{bmatrix} \mathbf{r}'' \mathbf{l}'' = \begin{bmatrix} r'_0 = 0 & I'_0 = j \\ r'_1 = 1 & I'_1 = k \\ r'_2 = 6 & I'_2 = I \\ r'_3 = 3 & I'_3 = m \end{bmatrix}$$

FIG. 10C

Docket No.: A-9049

Page 6 of 13




FIG. 11




FIG. 13

Docket No.: A-9049

Page 7 of 13




FIG. 12

Docket No.: A-9049

Page 8 of 13





FIG. 14


Docket No.: A-9049

Page 9 of 13



Docket No.: A-9049

Page 10 of 13



Docket No.: A-9049

Page 11 of 13




FIG. 18




FIG. 19

Docket No.: A-9049

Page 12 of 13




FIG. 20

Docket No.: A-9049

Page 13 of 13

